

V2100
Wheel Aligner

Versatile new generation wheel aligner with PATENTED imaging technology to boost productivity for the professionals

John Bean


GENERAL FEATURES

- Camera system:
 2 HD cameras, 5.1 mega
 pixels
- PC system:
 Mainboard plus mini PC
- Monitor resolution: 1080p
- Track width: 48" 96"
- Wheel base: 79" 180"
- Wheel clamp and target type:
 4 x AC 100 with 8" x 8" targets
- Rim size: 11" to 22" (optional to 26")
- Vehicle specifications:
 30+years
- Regional specifications
- Back-up / restore of calibration and set-up data





Next generation proprietary software user interface delivers sophistication in a compact footprint. The short boot-up increases job efficiency and allows faster and accurate measurements, every time




HD camera with V.O.D.I. (Vehicle Orientation Directional Indicator) constantly monitors the alignment and provides critical information to get the job done right



Next generation 3D wheel aligners that move all of the processing out of the PC into a proprietary control unit



Proprietary control unit handles the processing of critical data in a faster and efficient manner.



UI controller handles software processes, such as user interface functions



AC 100 wheel clamps are durable and require minimal maintenance



Clear and comprehensive vehicle database selection with quick model search function



Improved EZ-toe feature eliminates chasing toe adjustment even without using a steering wheel holder



Multiple print reports available to suit your customer's needs



Vehicle dimension for pre-alignment/diagnostic check



OPERATOR EFFICIENCY

- Positioning sequence: roll back and split
- Customer data entry
- Advanced customer database
- Customer database import / export / sharing
- Multiple print formats

MEASUREMENTS

- Caster & SAI on turntables
- · SAI elevated
- · Toe out of turn
- Max turn
- · Vehicle dimensions

ADJUSTMENTS

- · Live caster, camber & toe
 - turntables
- Live caster, camber & toe
 - elevated
- A-arm adjust
- EZ-toe

OPTIONAL ACCESSORIES



Wall mount kit for clamps and targets (set of 4 pcs)



Quick clamp kit



4" Extension kit



Camera tilt-beam kit

STANDARD ACCESSORIES



Steering lock



Brake pedal depressor



Two wheel chocks



Paddle roll-back kit



Turntables



Built in mini PC + speaker and printer rack only

STEPSTE OFFICES

Corporate Office:

Gurgaon: 6/2, Begumpur Khatola,

Behind Grace Toyota Showroom, NH-8, Gurgaon-122004

Tel.: 0124-4599700 | Fax: 0124-4056866

North:

Chandigarh: House No. 3235, 2nd Floor, Sector-27D Near Radha Swami Satsang Vyas, Chandigarh-160019

Lucknow: Flat No. 302, Kamla Residency, Behind In Fashion Showroom, Lekhraj Crossing,

Faizabad Road, Lucknow-226016

South:

Bengaluru: #132, Palace Cross Road, Near Palace Garden Apartment, Bengaluru-560020

Chennai: Flat # N, "Cee Dee Yes Enclave", Old # 1/3, New # 27, Kumaran Colony, Third Street, Vadapalani,

Chennai-600026 Tel.: 044-43021304

Secunderabad : 1-8-308/4, 1st Floor, Beside Bajaj Service, Street # 1, Patigadda, Secunderabad-500003

Tel.: 040-27907650

East:

Kolkata: 40/6A, Ballygaunge Circular Road, (Near Ballygaunge Phari), Kolkata-700019

Tel.: 033-40081440/441

West:

Mumbai: 404/406, 4th Floor, Dilkap Chambers, Fun Republic Lane, Nr. Bansali Engineering, Veera Desai Road, Andheri West, Mumbai-400053 Tel.: 022-67020909/400 | Fax: 022-67413788

Pune : GAT No. 2328/1, Chowkhi Dhani Road, Off Nagar Road, Wagholi, Pune-412207 Tel. : 08956322112 / 08956422112

× 2015

Ahmedabad: A- 404, Pravah Apartment, NR. Judges Bunglow, Bodakdev, Ahmedabad-380015

Tel.: 079-40051416

Visit our website: www.snaponindia.in For sales query, email us – esales.in@snapon.com call Toll Free on 1800-419-0450 or sms SNAPON to 58888.

Authorized Dealer

JohnBean is committed to product innovation and improvement. Therefore, specifications listed in this brochure may change without notice. All rights reserved. All other marks are marks of their respective holders.

From the House of

